



Art.-Nr: EAQL029ML Safety luminaire Central power supply Ceiling, ML, Central power supply, , IP40, Zinc die-cast, white

LED safety light for ceiling mounting and for illuminating escape and rescue routes according to DIN EN 60598-1, DIN EN 60598-222 and DIN EN 1838. The unobtrusive ceiling light made of zinc-aluminum adapts unobtrusively to the ceiling. Optimum light distribution and illumination of the escape and rescue routes is achieved through the use of diffuser lenses and high-performance LED ERT technology. The innovative integrated lens carrier with quick-mounting device enables the flexible use of different lens types depending on the application. Round and corridor lenses are already included in the scope of delivery for each light.





More information



TECHNICAL DATA


Luminaire type	Safety luminaire
Mounting	Ceiling
Pictograph	No
Illuminant	LED
Housing material	Zinc die-cast
Housing color	white
Protection type (IP)	IP40
Impact resistance (IK)	≥ 3
Certification	Waste disposal, CE, TÜV Rheinland Type approved, ENEC
Insulation class	2
Supply	Central power supply
Monitoring	ML
Bridging time	Central power supply
Operating mode	single luminaire switching
Input voltageAC	230 V
Input frequency	50 / 60 Hz
Input voltage DC	216 V
Power max.	4,6 W
Power DS	4,6 W






Power BS	1,2 W
Depth	104 mm
Width	104 mm
Height	39 mm
Weight	0.31
Weight incl. packaging	0.35
Connection cross-section	2.5 mm²
Switching input	No
Emergency light blocking	No
Battery connection	No
Dimming function	Yes
Luminous flux mains	360 lm
Luminous flux emergency	360 lm
Customs tariff number	94056180
Country of origin	DEUTSCHLAND
EAN	4260766552731

TECHNICAL DRAWING





ACCESSORY LIST

ILD-APA-02 -





RELATED PRODUCTS

ArtNo.	Image	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote maintenance	max. Iuminaires	Single luminaire monitoring
EAQL029ML- AZ	Fleri dicke	ML	Central power supply		€€€	Yes	low	Yes	1,920 per system	central
EAQL529CC	Heat clicke	CoreCompact 24	Central power supply		€€	Yes	low	Yes		central
EAQL529CC- AZ	Feer click	CoreCompact 24	Central power supply		€€	Yes	low	Yes		central

As of: 27.06.2024 - Subject to technical changes and errors.