



Art.-Nr: MMWT009ML
Utgangsskilt lys, Sikkerhetslys sentral strømforsyning vegg, ML, sentral strømforsyning, 21 m, IP40, Sinkstøping, hvit

The advantages of the LED combined with a compact shape come together to a modern design. The high quality slim body is made from zinc-aluminium die-cast. The variable use and toolless change of pictograms provides planning security on site.

LED escape route luminaire in accordance with DIN EN 60598-1, EN 60598-2-22, EN ISO 7010 and DIN EN 1838.

Optional with DUO-LED for additional light output downwards.



Mer informasjon



TEKNISKE DATA


| | |
|---------------------|---------------------------------|
| Type armatur | Utgangsskilt lys, Sikkerhetslys |
| Monteringstype | vegg |
| Deteksjonsområde | 21 m |
| piktogram | sett |
| Koffertmateriale | Sinkstøping |
| Farge på huset | hvit |
| IP-beskyttelse) | IP40 |
| Slagstyrke (IK) | ≥ 3 |
| Sertifisering | Sjøpeltømming, CE |
| beskyttelses klasse | 1 |
| omsorg | sentral strømforsyning |
| overvåkning | ML |
| Brotid | sentral strømforsyning |
| Driftsmodus | Individuell lysveksling |
| Inngangsspenning AC | 230 V |
| Inngangsfrekvens | 50/60 Hz |
| Inngangsspenning DC | 216 V |
| Maks effekt. | 3,9 W |
| Ytelse DS | 2,9 W |
| Ytelse BS | 1,1 W |



| | |
|---------------------------|---------------------|
| dybde | 48 mm |
| Bredde | 236 mm |
| Høyde | 138 mm |
| Vekt | 0.07 |
| Vekt inkludert emballasje | 0.07 |
| Tverrsnitt for tilkobling | 2.5 mm ² |
| Koblingsinngang | Ja |
| Blokkering av nødlys | Nei |
| Batteritilkobling | Nei |
| Dimmefunksjon | Ja |
| Lysstrøm nødsituasjon | 100 lm |
| Tolltariffnummer | 94056180 |
| Opprinnelsesland | DEUTSCHLAND |
| EAN | 4260659563073 |



TEKNISK TEGNING



MMW_IP65



LIGNENDE PRODUKTER

| Varenr. | Bilde | overvåkning | omsorg | Farge | investering | Automatisk inspeksjonsbok | Vedlikeholdsinnsats | fjernvedlikehold | maks. lys | Individuell lysovervåking |
|--------------|-------|-------------|------------------------|-------|-------------|---------------------------|---------------------|------------------|------------------------|---------------------------|
| MMW009ML | | ML | Sentral strømforsyning | | €€€ | Ja | lav | Ja | 1920 kroner per system | sentralt |
| MMW009ML-AZ | | ML | Sentral strømforsyning | | €€€ | Ja | lav | Ja | 1920 kroner per system | sentralt |
| MMWT009ML-AZ | | ML | Sentral strømforsyning | | €€€ | Ja | lav | Ja | 1920 kroner per system | sentralt |

Fra: 28.06.2024 - Det tas forbehold om tekniske endringer og feil.