



Art.-Nr: PFD413WL
Exit sign Single Battery
Ceiling, Wireless Professional, 3 h, 24 m, IP65, Plastic, white

Plastic luminaire for the marking and lighting of escape and rescue routes according to DIN EN 60598-1, DIN EN 60598-2-22 and EN 1838. For single or double sided labeling. Available for central power systems or as self-contained emergency luminaire.



More information



TECHNICAL DATA





Luminaire type	Exit sign
Mounting	Ceiling
Recognition distance	24 m
Pictograph	Set
Illuminant	LED
Housing material	Plastic
Housing color	white
Protection type (IP)	IP65
Impact resistance (IK)	6
Certification	WEEE, CE, D-Sign
Insulation class	1
Supply	Single Battery
Monitoring	Wireless Professional
Bridging time	3 h
Battery	LFP3212.K-SET-2AKKU
Operating mode	Standby circuit / permanent circuit
Input voltage AC	230 V
Input frequency	50 Hz
Power max.	5,3 W
Power DS	4,3 W
Power BS	0,7 W
Ambient temperature DS	-5 °C - 40 °C
Ambient temperature BS	-5 °C - 40 °C



Depth	152 mm
Width	370 mm
Height	195 mm
Weight	1.07
Weight incl. packaging	1.2
Connection cross-section	2.5 mm ²
Switching input	Yes
Emergency light blocking	Yes
Battery connection	Connector
Dimming function	Yes
Luminous flux mains	305 lm
Luminous flux emergency	180 lm
Customs tariff number	94056120
EAN	4260766552052



TECHNICAL DRAWING



152



152

ACCESSORY LIST


- 2PW-EB -
- 2DW-EB -
- DSA -
- PFER -



RELATED PRODUCTS

Art.-No.	Image	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote maintenance	max. luminaires	Single luminaire monitoring
PFD013		CPS								
PFD013-COOLIP54		CPS								
PFD013-EHE		CPS								
PFD013SC		SelfControl	Single battery		€	no	high	no	unlimited	itself
PFD013SC-COOLIP54		SelfControl	Single battery		€	no	high	no	unlimited	itself



Art.-No.	Image	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote maintenance	max. luminaires	Single luminaire monitoring
PFD013SC-EHE		SelfControl	Single battery		€	no	high	no	unlimited	itself
PFD013WL		Wireless Professional	Single battery		€€	yes	low	yes	1,000 per system	central
PFD013WL-EHE		Wireless Professional	Single battery		€€	yes	low	yes	1,000 per system	central
PFD023SC-EHE		SelfControl	Single battery		€	no	high	no	unlimited	itself

As of: 17.07.2024 - Subject to technical changes and errors.