



Art.-Nr: VAD013WL Exit sign Self-contained Surface mounting, Wireless Professional (WL), 3 h, 34 m, IP65, Stainless Steel, Stainless steel

High-grade, vandal-proof, stainless steel luminaire for ceiling mounting in accordance with DIN EN 60598-1, DIN EN 60598-2-22 and DIN EN 1838 for identifying and illuminating escape and emergency routes. Available as luminaire with electronic ballast or single-battery luminaire.

Wireless central control and monitoring for large installations of up to 50,000 luminaires with Wireless Professional.





More information
www.rp-group.com/en/item/VAD013WL



TECHNICAL DATA


Luminaire type	Exit sign
Mounting	Surface mounting
Recognition distance	34 m
Pictograph	Set
Illuminant	LED
Housing material	Stainless Steel
Housing color	Stainless steel
Protection type (IP)	IP65
Impact resistance (IK)	≥ 3
Certification	WEEE, CE
Insulation class	1
Supply	Self-contained
Monitoring	Wireless Professional (WL)
Bridging time	3 h
Battery	NIMH 12 V/0,8 Ah
Operating mode	Non-maintained / maintained
Input voltageAC	230 V
Input frequency	50 / 60 Hz
Input voltage DC	- V
Power max.	7,5 W





Power maintained	7,5 W				
Power non-maintained	3,6 W				
Ambient temperature maintained mode	-5 °C to 40 °C				
Ambient temperature non-maintained mode	-5 °C to 40 °C				
Depth	65 mm				
Width	390 mm				
Height	220 mm				
Weight	4.54				
Weight incl. packaging	4.72				
Connection cross-section	2.5 mm²				
Switching input	Yes				
Emergency light blocking	No				
Battery connection	Clip				
Dimming function	Yes				
Luminous flux mains	150 lm				
Luminous flux emergency	150 lm				
Customs tariff number	94056180				
EAN	4260659563912				

TECHNICAL DRAWING







RELATED PRODUCTS

ArtNo.	lmage	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote main- tenance	max. luminai- res	Single luminai- re monitoring
VAD013	₩ 2	Without monitoring		Edelstahl						
VAD013-V4A	₩ 2	Without monitoring		Edelstahl						
VAD013SC	₩ 2	SelfControl (SC)	Single battery	Edelstahl	€	no	high	no	unlimited	itself
VAD013SC- V4A	₩ 2	SelfControl (SC)	Single battery	Edelstahl	€	no	high	no	unlimited	itself
VAD013WL- V4A-ESG	₩ 2	Wireless Pro- fessional (WL)	Single battery	Edelstahl	€€	yes	low	yes	1,000 per system	central

As of: 27.05.2025 - Subject to technical changes and errors.