




**Art.-Nr: WHXD418WL-TT**  
**Exit sign Single Battery**  
**Ceiling, Wireless Professional, 8 h, 30 m, IP65, Plastic, white**

Escape sign cube luminaire for marking escape and rescue routes with easy-to-mount bayonet catch. Preferably for applications at path crossings, e.g. in department stores with shelf aisles.

Planning reliability is provided by logically specified printed pictograms. LED escape sign luminaire according to DIN EN 60598-1, DIN EN 60598-2-22, DIN EN 7010 and DIN EN 1838.



[More information](#)



## TECHNICAL DATA




Luminaire type	Exit sign
Mounting	Ceiling
Recognition distance	30 m
Pictograph	Set
Illuminant	LED
Housing material	Plastic
Housing color	white
Protection type (IP)	IP65
Impact resistance (IK)	4
Certification	CE, WEEE, D-Sign
Insulation class	2
Supply	Single Battery
Monitoring	Wireless Professional
Bridging time	8 h
Operating mode	Standby circuit / permanent circuit
Input voltageAC	230 V
Input frequency	50 Hz
Power max.	7,5 W
Power DS	5,7 W
Power BS	0,8 W
Depth	300 mm



Width	300 mm
Height	179.5 mm
Weight	1.62
Weight incl. packaging	1.85
Connection cross-section	2.5 mm <sup>2</sup>
Switching input	Yes
Emergency light blocking	Yes
Battery connection	Connector
Dimming function	Yes
Luminous flux mains	250 lm
Luminous flux emergency	245 lm
Customs tariff number	94056180
EAN	4260766559693



## TECHNICAL DRAWING



## ACCESSORY LIST

- WKO -
- DSA-Y4M -
- DSA-Y4M-APA -

As of: 17.07.2024 - Subject to technical changes and errors.