



Art.-Nr: WKW418SC Exit sign Supply Wall mounting, SelfControl (SC), 8 h, 36 m, IP20, Metal, white

Square emergency exit sign cube luminaire for wall mounting for illuminating escape and emergency routes.

The cube shape means that this plastic luminaire is easily recognisable from three sides. Ideal for large-scale applications, e.g. in large stores.

Automatic monitoring of safety luminaire with SelfControl. Planning certainty is provided by printed pictograms, determined on the basis of logic. The pictograms used correspond to DIN ISO 7010 (arrow to the right, left and down).



More information www.rp-group.com/en/item/WKW418SC



TECHNICAL DATA

CE

Luminaire type	Exit sign
Mounting	Wall mounting
Recognition distance	36 m
Pictograph	Set
Illuminant	LED
Housing material	Metal
Housing color	white
Protection type (IP)	IP20
Impact resistance (IK)	≥ 3
Certification	WEEE, CE
Insulation class	1
Monitoring	SelfControl (SC)
Bridging time	8 h
Battery	LiFePO4 6,4 V/3,3 Ah
Power max.	5,3 W
Power DS	3,9 W
Power BS	2 W
Ambient temperature DS	-5 °C - 40 °C
Ambient temperature BS	-5 °C - 40 °C





Depth	195 mm
Width	195 mm
Height	195 mm
Weight	0.95
Weight incl. packaging	1.09
Luminous flux mains	190 lm
Luminous flux emergency	190 lm
EAN	4262483023501






TECHNICAL DRAWING


















ACCESSORY LIST

WKO -

As of: 04.11.2024 - Subject to technical changes and errors.

www.rp-group.com